

# Upgrading and deploying AppV 5.0 client via SCCM 2012

If you want to deploy AppV 5.0 packages, a client is needed. In this article I will describe all the steps that are needed to install the latest AppV 5.0 client. When writing this article it is AppV 5.0 SP3 with hotfix 2.

This version is not available as a 'complete' version. First you will have to install AppV 5.0 SP3 client, followed by the hotfix. Fortunately you can 'merge' this 2 versions in one installer.

## The technique

If you extract the AppV 5.0 SP3 installer, you will find 2 MSI files: one for 86 bits and one for 64 bits operating systems. These versions will be patched with the hotfix.

## Step 1:: download the software

### Download the AppV 5.0 SP3 (MDOP 2014 R2)

You can download MDOP 2014 R2 – which includes AppV 5.0 SP3 – from the [Microsoft Volume Licensing Service Center](#).

### Download AppV 5.0 SP3 hotfix 2

You can download [Hotfix Package 2 for Microsoft Application Virtualization 5.0 Service Pack 3](#).

Once completed all the required steps, save the file 484280\_intl\_x64\_zip.exe in the folder C:\AppV50SP3.

## Step 2: extract the software

### Extract the main installer

1. Create the folder C:\AppV50SP3
2. Copy appv\_client\_setup.exe to C:\AppV50SP3
3. Extract the content via the command:

```
C:\AppV50SP3\appv_client_setup.exe /layout C:\AppV50SP3
```

4. There are 2 additional MSI files in C:\AppV50SP3: for each platform one MSI installer.

### Extract the hotfix 2

1. Doubleclick on C:\AppV50SP3\484280\_intl\_x64\_zip.exe and extract to C:\AppV50SP3



Extract the hotfix.

2. Extract the patches with the command:

```
C:\AppV50SP3\AppV5.0SP3_Client_KB3060458.exe /layout  
C:\AppV50SP3
```


### Create the patched MSI file for

# both x86 and x64 operating systems

This is done via an old technique: *create an administrative installation point and patch that administrative installation point with the patch.*

1. Create an administrative installation point for the x86 bits client:


```
msiexec /a "C:\AppV50SP3\appv_client_MSI_x86.msi"  
TARGETDIR=c:\AppV50SP3HF2_aip_x86
```



The MSI (x86) after administrative install.

2. Create an administrative installation point for the x64 bits client:


```
msiexec /a "C:\AppV50SP3\appv_client_MSI_x64.msi"  
TARGETDIR=c:\AppV50SP3HF2_aip_x64
```



The MSI (x64) after administrative install.

3. Patch the msi in the administrative installation point with the patch for the x86 bits client:


```
msiexec /a  
"C:\AppV50SP3HF2_aip_x86\appv_client_MSI_x86.msi" /p  
"C:\AppV50SP3\appv_client_kb3060458_x86.msp"
```



The MSI (x86) after patching the administrative install.


4. Patch the msi in the administrative installation point with the patch for the x64 bits client:

```
msiexec /a
"C:\AppV50SP3HF2_aip_x64\appv_client_MSI_x64.msi" /p
"C:\AppV50SP3\appv_client_kb3060458_x64.msp"
```



The MSI (x64) after patching the administrative install.

5. An overview of the commands:




Summary of all the commands.

## Step 3: implement in SCCM

# 2012


## Place the installation files on the software library

1. Copy the content from C:\AppV50SP3HF2\_aip\_x86 to the share with all the packages: \\demo-sccm\SCCMPackages\All Applications\Microsoft\_AppVClient\_5.0SP3HF2\_ENG\_W7\_1.0.0\x86



Copy the installation files (x86) to the software library.


2. Copy the content from C:\AppV50SP3HF2\_aip\_x64 to the share with all the packages: \\demo-sccm\SCCMPackages\All Applications\Microsoft\_AppVClient\_5.0SP3HF2\_ENG\_W7\_1.0.0\x64




Copy the installation files (x64) to the software library.

## Create the software package


Create the SCCM 2012 applications as per screen prints below. The installation command line should at least contain **ACCEPTEULA=1**. I always add **ENABLEPACKAGESCRIPTS=1** so you can add virtualized Click 2 Run packages later. Then there is no need to set this via GPO later.




Upg After creating the application and deployment types.




Installation program (x86).




Detection rule (x86)




Requirements (x86).



Dependencies (x86).




Installation program (x64).




Detection rule (x64).







Requirements (x64).




Dependencies (x64).




Deployment of the application.




The deployment collection.



The deployment is set as required.




Ignore the maintenance window for installations.




Confirmation.


# Deploy the software and check on the client




Force the computers in the collection to download the computer policies.



The policy is applied on the client.



And the new AppV client is installed.



The new client version.

## The deep dive: more info about the upgrade

For whatever reason, Microsoft has decided not to change the ProductCode property. Thus all the AppV 5.0 SP3 packages share the same ProductCode.

If you open C:\AppV50SP3\appv\_client\_MSI\_x86.msi and apply C:\AppV50SP3\appv\_client\_kb3060458\_x86.msp you will see that only the ProductVersion is updated:

